

**LINE SHARING  
(UNBUNDLED HIGH FREQUENCY PORTION OF LOOP)**

**SERVICE ORDER EXHIBITS**

**PHASE 1 (PRE TELCORDIA SOLUTION)**

**BASIC RESIDENTIAL AND BUSINESS SERVICE**

**SEPTEMBER 5, 2000**

## LINE SHARE USOCs

### DLEC ACCOUNT, BILLING ONLY

DESCRIPTION	USOC
BASIC CLASS OF SERVICE, LINE SHARE SERVICE	ULS

DESCRIPTION	USOC
<b>SYSTEM, SPLITTER – 96 LINE CAPACITY</b>  The 96 Line Capacity, Splitter System rate element will provide BellSouth Central Office-based capacity for 96 individual (line) connections for line sharing. Rates and charges will apply on a nonrecurring and recurring basis	ULSDA
<b>SYSTEM, SPLITTER – 24 LINE CAPACITY</b>  The 24 Line Capacity, Splitter System rate element will provide BellSouth Central Office-based capacity for 24 individual (line) connections for line sharing. Rates and charges will apply on a nonrecurring and recurring basis	ULSDB
<b>LOOP CAPACITY, LINE ACTIVATION – PER OCCURENCE</b>  The Loop Capacity, Line Activation element provides for a connection between the BellSouth Central Office-based Splitter System and the BellSouth Central Office-based termination of a BellSouth-provided Local Exchange service facility. Charges for this element will apply on a recurring and nonrecurring basis.	ULSDC
<b>SUBSEQUENT ACTIVITY – PER OCCURRENCE</b>  A subsequent activity charge will apply on nonrecurring basis, and is a combined charge covering various occurrences such as moves of lines between BellSouth Central Office-based Splitter Systems and moves from a BellSouth Central Office-based Line Sharing arrangement to a Remote Terminal (RT)-Based Line Sharing arrangement.	ULSDS
<b>CFA ACTIVATION FOR DLEC OWNED SPLITTER</b>  This Billing Only USOC applies when a DLEC requests activation of Cable and Pairs for a DLEC owned Splitter. The request is made via the LSOD and order will be issued by the LCSC after notification that the work has been done.	ULSDG

**LOOP MODIFICATION USOCS (MAY APPEAR ON ULS BASIC CLASS OF SERVICE WHEN LINE SHARE SERVICE IS ORDERED AT THE SAME TIME)**

<b>DESCRIPTION</b>	<b>USOC</b>
UNBUNDLED LOOP MODIFICATION, REMOVAL OF BRIDGE TAP, PER UNBUNDLED LOOP	ULMBT
UNBUNDLED LOOP MODIFICATION, REMOVAL OF LOAD COILS – 2 WIRE LESS THAN OR EQUAL TO 18K FT	ULM2L
UNBUNDLED LOOP MODIFICATION, REMOVAL OF LOAD COILS – 2 WIRE GREATER THAN 18K FEET	ULM2G

**4/26 NOTE: THE USOCS LISTED BELOW HAVE BEEN PROPOSED TO SUPPORT LOOP MODIFICATION REQUEST FOR LINE SHARE SERVICES. THE USOCS WILL APPEAR ON THE ULS BASIC CLASS OF SERVICE AND WILL APPEAR ON THE LINE SHARE BILLING ORDER AT THE SAME TIME THE LINE SHARE SERVICE IS ORDERED**

**5/3 NOTE: LOOP MODIFICATION USOCS WILL NOT APPEAR ON THE SAME ORDER FOR LINE SHARE AFTER THE TELCORDIA SOLUTION IS IMPLEMENTED.**

**LOOP MAKE-UP USOCS WILL NOT APPEAR ON THE ULS BASIC CLASS OF SERVICE. LOOP MAKE-UP WILL OCCUR IN A SEPARATE PROCESS AND IS NOT INCLUDED IN THIS PACKAGE.**

**6/20 RATE LETTER NOT RECEIVED AND MAY HAVE ISSUES WITH USING LOOP MODIFICATION ON ULS BASIC CLASS OF SERVICE. DO NOT ISSUE EDITS UNTIL ISSUES ARE RESOLVED.**

**THE FOLLOWING USOC WILL APPEAR ON THE END USER'S  
ACCOUNT (CRIS ACCOUNT)**

<b>DESCRIPTION</b>	<b>USOC</b>
UNBUNDLED NETWORK ELEMENT, LINE SHARE SERVICE PER ENDUSER, NO-RATED	ULSDE

## FIDS FOR END USER'S ACCOUNT

### FIDS FOLLOWING LINE ASSIGNABLE (CATEGORY D) 1FR, 1FB USOC

<b>FID</b>	<b>DESCRIPTION</b>
SSM  <b>SPECIAL SAFEGUARDING MEASURES</b>	PROVIDES NETWORK INFORMATION TO PREVENT LINE SHARE SERVICE FROM BEING DISCONNECTED IN CABLE CHANGES
WW  <b>WORKS WITH</b>	WW WILL BE FOLLOWED BY THE C ACCOUNT TELEPHONE NUMBER OF THE CLEC BILLING ACCOUNT
UNEI  <b>UNBUNDLED NETWORK ELEMENT CKT ID</b>	CIRCUIT ID OF AN INDIVIDUAL UNBUNDLED NETWORK COMPONENT ASSOCIATED WITH THE OVERALL CIRCUIT (11-36 ALPHANUMERIC CHARACTERS) (ASSIGNED BY LCSC FROM ATLAS)  EX: /UNEI 40.SWXX.000000..XX  <b>6/20 CHANGE CODE TO SWXX PER TELCORDIA APPROVED LS2 REQUEST.</b>
UNNI  <b>UNBUNDLED NETWORK CUSTOMER NAME</b>	SERVICE PROVIDED OF THE INDIVIDUAL UNBUNDLED NETWORK COMPONENT. (1-32 ALPHA NUMERIC CHARACTERS)  EX: /UNNI SPC. 7177, HOUSTEN TEL CO  SPC – SERVICE PROVIDER  7177 – OCN OR AECN CODE  HOUSTEN TEL CO – NAME OF CLEC (OPTIONAL)
UCPI  <b>UNBUNDLED CONNECTION POINT</b>	CONNECTION POINT CHARACTERISTICS OF THE UNBUNDLED PORTION OF THE SUBSCRIBER'S SERVICE  EX: /UCPI <b>TYP</b> .DA. <b>LOC</b> .CO. <b>MTPT</b> .CA VAEJI. <b>PR</b> .0004  THE FIELDS IN BOLD ARE DESCRIPTIVE FIELDS THE OTHER FIELDS ARE THE DESCRIPTIVE DATA  <b>TYP</b> – TYPE <b>DA</b> – LINE SHARE DATA (ALSO VI-LS VOICE, UL – UNE LOOP, US – UNE SWITCHPORT <b>LOC</b> – LOCATION OF THE SPLITTER <b>CO</b> – CENTRAL OFFICE (ONLY VALID CODESET AT THIS TIME) <b>MTPT</b> -MEETPOINT <b>CA</b> – CABLE <b>VAEJI</b> – CABLE ID BUILT IN COSMOS <b>PR</b> – PAIR <b>0004</b> – 4 NUMERIC PAIR NUMBER
UCNI  <b>UNBUNDLED CONTACT NUMBER</b>	CONTACT INFORMATION FOR THE LOCAL EXCHANGE CARRIER  EX: /UCNI JOE CUSTOMER. 404 555-1234. PAGER 555-2345  JOE CUSTOMER – CLEC CONTACT NAME FOR PROVISIONING  404 555-1234 – CLEC CONTACT NUMBER FOR PROVISIONING PAGER 555-2345 – ADDITIONAL CONTACT INFORMATION (OPTIONAL)

## FIDS FOR END USER'S ACCOUNT (continued)

### FIDS FOLLOWING LINE ASSIGNABLE (CATEGORY D) 1FR, 1FB USOC

FID	DESCRIPTION
<p>GF</p> <p>GENERAL FACILITIES</p>	<p><b>GENERAL FACILITIES INFORMATION TO REPRESENT THE SPLITTER ASSIGNMENT PROVIDED BY THE CLEC ON THE LSR.</b></p> <p>/GF SPLXXX12345678-12-32-1</p> <p>SPL – SPLITTER  XXX – THREE CHARACTER (ACNA) CODE  12345678 – 8 ALPHA NUMERIC CHARACTERS TO REPRESENT THE FLOOR,  AISLE, AND BAY. (SHOWN AS RELAY RACK ON LSR)  12 – SHELF INFORMATION 2 CHARACTERS (SHOWN AS SHELF ON LSR)  32 – SLOT (SHOWN AS SLOT ON LSR ALONG WITH LINE NUMBER BELOW)  1 – LINE NUMBER (WILL BE SHOWN AS PART OF THE SLOT NUMBER ON THE LSR)</p> <p>or</p> <p>IF DLEC OWNS THE SPLITTER, the Voice and Data Pair will be identified as:</p> <p>/GF CA XXXXXX, PR 1234</p> <p>CA – CABLE  XXXXXX – 5 ALPHA NUMERIC CABLE NUMBER  PR – PAIR  1234 – PAIR NUMBER</p>
<p>FRN</p>	<p><b>FACILITY RESERVATION NUMBER – THIS ALWAYS APPLIES TO MECHANIZED ORDERS AFTER THE TELCORDIA SOLUTION</b></p> <p>/FRN ABDK1234R</p>

# **FIDS FOLLOWING ULSDE LINE SHARE USOC**

<b>FID</b>	<b>DESCRIPTION</b>
<b>TN TELEPHONE NUMBER</b>	<b>TELEPHONE NUMBER OF THE CATEGORY D LINE WITH LINE SHARE FIDS.</b>
<b>PDCR</b>	<p>PARTIAL DISCONNECT REASON - THIS FID WILL BE USED BY ENG TO SEND LOSS NOTIFICATION and/or FOC TO THE DLECS WHEN LINE SHARE IS REMOVED.</p> <p>IT SHOULD BE FORMATTED AS FOLLOWS: /PDCR PA</p> <p>WHERE PA = PARTIAL DISCONNECT REASON (2 ALPHABETICS OF:)</p> <p>BC = BELLSOUTH TO FACILITY</p> <p>BR = BELLSOUTH TO RESELLER</p> <p>CB = FACILITY BASED CLEC TO</p> <p>CC = FACILITY BASED CLEC TO BASED CLEC, RESELLER TO FACILITY</p> <p>CD = COMPANY DISCONNECT</p> <p>CT = CHANGE TO/FROM SERVICE</p> <p>DE = DEFECTIVE EQUIPMENT</p> <p>DL = DOES NOT LIKE</p> <p>DO = DID NOT ORDER</p> <p>DP = SET DELIVERY PROBLEM</p> <p>DR = DID NOT RESPOND</p> <p>DU = DOES NOT USE</p> <p>HC = HOUSEHOLD SITUATION</p> <p>NP = NOT PROVISIONED</p> <p>OV = OTHER VENDOR</p> <p>PA = PREFERS ANSWERING</p> <p>PR = PRICE RELATED</p> <p>RB = RESELLER TO BELLSOUTH</p> <p>RC = RESPONSIBLE PARTY DID</p>

	RR = REPEATED REPAIR PROBLEMS
	RT = RESELLER TO RESELLER
TRANSFER	
ERROR (SLAMMING)	SE = END USER SWITCHED IN
	TC = TOO COMPLICATED
(UNAVAILABLE)	TO = TOO MANY OUT OF AREA



## **FIDS FOR NSP CABS MISCELLANEOUS ACCOUNT**

### **FIDS REQUIRED ON BILLING ORDER**

#### **UNFIELDDED IDENT**

<b>FID</b>	<b>DESCRIPTION</b>
<b>AECN</b>	REQUIRED ON R ORDERS ON BASIC CLASS OF SERVICE OF ULS
<b>RO RELATED ORDER</b>	REQUIRED ON ORDERS WITH INWARD/OUTWARD ULSDC/ULSDS USOC

#### **BILL SECTION**

<b>FID</b>	<b>DESCRIPTION</b>
<b>PIU PERCENT INTERSTATE USAGE</b>	REQUIRED IN ORDER INSURING CORRECT BILLING. PIU WILL BE INDICATED IN THE BILL SECTION ON THE BASIC CLASS OF SERVICE ORDER OF ULS AND WILL ALWAYS BE 0.
<b>PON PURCHASE ORDER NUMBER</b>	WILL BE POPULATED IF INDICATED ON THE LSR
<b>MAN MAJOR ACCOUNT NUMBER</b>	WILL BE POPULATED IF INDICATED ON THE LSR

# **FIDS FOLLOWING THE LINE SHARE BILLING USOC (ULSDC)**

<b>FID</b>	<b>DESCRIPTION</b>
<b>PLU PERCENT LOCAL USAGE</b>	REQUIRED IN ORDER TO INSURE CORRECT BILLING. PLU OF 100 WILL BE REQUIRED FOLLOWING <b>EVERY BILLING USOC</b>
<b>TAR</b>	REQUIRED IN ORDER TO BILL CORRECT TAXES
<b>TN</b>	REQUIRED IN ORDER TO IDENTIFY THE END USER'S LINE SHARE LINE
<b>UNE1 UNBUNDLED NETWORK ELEMENT CKT ID</b>	CIRCUIT ID OF AN INDIVIDUAL UNBUNDLED NETWORK COMPONENT ASSOCIATED WITH THE OVERALL CIRCUIT  EX /UNE1 00.SWXX.000000..XX (SAME CIRCUIT SHOWN ON END USER ORDER)
<b>GF  GENERAL FACILITIES</b>	<b>GENERAL FACILITIES INFORMATION TO REPRESENT THE SPLITTER ASSIGNMENT PROVIDED BY THE CLEC ON THE LSR.</b> /GF SPLXXX12345678-12-32-1  SPL – SPLITTER XXX – THREE CHARACTER (ACNA) CODE 12345678 – 8 ALPHA NUMERIC CHARACTERS TO REPRESENT THE FLOOR, AISLE, AND BAY. (SHOWN AS RELAY RACK ON LSR) 12 – SHELF INFORMATION 2 CHARACTERS (SHOWN AS SHELF ON LSR)  32 - SLOT (SHOWN AS SLOT ON LSR ALONG WITH LINE NUMBER BELOW)  1 – LINE NUMBER (WILL BE SHOWN AS PART OF THE SLOT NUMBER ON THE LSR)
<b>UCPI  UNBUNDLED CONNECTION POINT</b>	CONNECTION POINT CHARACTERISTICS OF THE UNBUNDLED PORTION OF THE SUBSCRIBER'S SERVICE  EX: /UCPI <b>TYP.DA. LOC.CO. MTPT.CA</b> VAEJ1, PR.0004  THE FIELDS IN BOLD ARE DESCRIPTIVE FIELDS THE OTHER FIELDS ARE THE DESCRIPTIVE DATA  <b>TYP</b> – TYPE <b>DA</b> – LINE SHARE DATA (ALSO VI-LS VOICE, UL – UNE LOOP, US – UNE SWITCHPORT) <b>LOC</b> – LOCATION OF THE SPLITTER <b>CO</b> – CENTRAL OFFICE (ONLY VALID CODESET AT THIS TIME) <b>MTPT</b> -MEETPOINT <b>CA</b> – CABLE <b>VAEJ1</b> – CABLE ID BUILT IN COSMOS <b>PR</b> – PAIR

	0004 - 4 NUMERIC PAIR NUMBER
--	------------------------------

**FIDS FOLLOWING THE LINE SHARE SPLITTER USOCS (ULSDA, USLDB and ULSDG)**

<b>FID</b>	<b>DESCRIPTION</b>
<b>PLU PERCENT LOCAL USAGE</b>	REQUIRED IN ORDER TO INSURE CORRECT BILLING. PLU OF 100 WILL BE REQUIRED
<b>TAR</b>	REQUIRED IN ORDER TO BILL CORRECT TAXES  TAR CODE OF CENTRAL OFFICE WILL BE SHOWN FOLLOWING USOC
<b>POI POINT OF INTERFACE</b>	THE 8-11 CHARACTER COLLOCATION CLLI CODE OF THE SPLITTER
<b>RMKR (?)</b>	<b>SPLITTER INFORMATION WILL BE SHOWN FOLLOWING THE RMKR FID IN ORDER TO INDICATE THE SPLITTER ASSIGNMENTS BEING BILLED. THIS INFO WILL BE USED IN ORDER DISCONNECT THE CORRECT SPLITTER ASSIGNMENTS</b>

**FIDS FOLLOWING THE LINE SHARE SUBSEQUENT ACTIVITY USOC (ULSDS)**

<b>FID</b>	<b>DESCRIPTION</b>
<b>TN</b>	6/8 NOT SURE IF NEED TO BE REQUIRED (EDIT IN JULY)
<b>UNE1</b>	6/8 NOT SURE IF NEED TO BE REQUIRED (EDIT IN JUNE)
<b>PLU PERCENT LOCAL USAGE</b>	REQUIRED IN ORDER TO INSURE CORRECT BILLING. PLU OF 100 WILL BE REQUIRED
<b>TAR</b>	TAR FROM ENDUSER ACCOUNT, REQUIRED IN ORDER TO BILL CORRECT TAXES

**FIDS FOLLOWING THE SOMAN/SOMEK USOCS**

<b>FID</b>	<b>DESCRIPTION</b>
<b>PLU PERCENT LOCAL USAGE</b>	REQUIRED IN ORDER INSURING CORRECT BILLING. PLU OF 100 WILL BE REQUIRED.
<b>TAR</b>	NOT REQUIRED SINCE NO TAXES ARE BILLED ON SOMAN/SOMEK

**6/20 DO NOT ISSUE ANY EDITS ON ULM++ UNTIL RATE LETTER  
RECEIVED FROM ERIC.**

**FIDS FOLLOWING THE LOOP MODIFICATION USOCS (ULM++)**

**6/20 DO NOT ISSUE ANY EDITS ON ULM++ UNTIL RATE LETTER  
RECEIVED FROM ERIC.**

<b>FID</b>	<b>DESCRIPTION</b>
<b>PLU PERCENT LOCAL USAGE</b>	REQUIRED IN ORDER INSURING CORRECT BILLING. PLU OF 100 WILL BE REQUIRED
<b>TAR</b>	TAR FROM ENDUSER ACCOUNT, REQUIRED IN ORDER TO BILL CORRECT TAXES

## LIST OF ORDERING SCENARIOS

<b>N O</b>	<b>SCENARIO</b>	<b>COMMENTS/EXHIBIT</b>
<b>1</b>	<b>CLEC ORDERS LINE SHARE FOR QUALIFIED LOOP</b>	<b>EXHIBIT 1</b>
<b>2</b>	<b>CLEC ORDERS LINE SHARE FOR QUALIFIED LOOP, HOWEVER LOOP MAKE-UP INFORMATION IS INCORRECT. CLEC CALLS REPAIR AND IT IS DETERMINED THAT LOOP MODIFICATION HAS TO BE DONE??</b>	<b>NEEDS DEVELOPMENT</b>
<b>3</b>	<b>CLEC ORDERS LINE SHARE AND HAS RESERVED A QUALIFIED FACILITY.</b>	<b>EXHIBIT 7</b>
<b>4.</b>	<b>CLEC ORDERS LINE SHARE AND NEEDS LOOP MODIFIED, EITHER REMOVE BRIDGE TAP OR LOAD COILS</b>	<b>EXHIBIT 2</b>
<b>5.</b>	<b>CLEC ORDERS LINE SHARE ON UNQUALIFIED LOOP (FIBER FACILITIES, LOAD COIL, BRIDGE TAP)</b>	<b>ORDER WILL LOOK LIKE EXHIBIT 1???? NOT SURE WHAT WILL HAPPEN</b>
<b>6.</b>	<b>CLEC ORDERS LINE SHARE ON UNQUALIFIED SERVICE (ISDN, WATCHALERT, P PHONES, ETC)</b>	<b>? STOP BEFORE ORDER ISSUED. EDITS ISSUED TO PREVENT LINE SHARE ON LINES WITH ELECTRONIC SETS OR WATCHALERT</b>
<b>7</b>	<b>CLEC ORDERS LINE SHARE ON LINE WITH EXISTING LINE SHARE SERVICE WORKING</b>	<b>EXHIBIT 6</b>
<b>8</b>	<b>CLEC ORDERS LINE SHARE ON LINE WITH ADSL WORKING. (TWO LSR REQUESTS WILL HAVE TO BE ISSUED. ONE TO REMOVE ADSL AND ONE TO ADD LINE SHARE)</b>	<b>EXHIBIT 1 TO ADD LINE SHARE</b>
<b>9</b>	<b>CLEC WANTS LOOP MODIFIED ON EXISTING LINE SHARE CUSTOMER</b>	<b>NO PROVISIONING ORDER ISSUED. BILLING ORDER ISSUED ONLY.</b>
<b>10</b>	<b>CLEC CHANGES CA/PR ASSIGNMENT</b>	<b>EXHIBIT 4</b>
<b>11</b>	<b>CLEC CHANGES SPLITTER ASSIGNMENT</b>	<b>EXHIBIT 5</b>
<b>12</b>	<b>CLEC DISCONNECTS LINE SHARE SERVICE ONLY</b>	<b>EXHIBIT 3</b>

<b>13</b>	<b>DLEC SENDS ORDER FOR LINE SHARE, EXISTING CUSTOMER HAS ADSL ON ACCOUNT.</b>	<b>EXHIBIT 9</b>
<b>14</b>	<b>CRIS CUSTOMER CHANGES TN AND DLEC SENDS LSR TO CORRECT CABS ACCOUNT</b>	<b>5-B</b>
<b>15</b>	<b>DLEC ORDERS LINE SHARE AND OWNS SPLITTER</b>	<b>EXHIBITS 10 – 10-C</b>

## LIST OF REVISIONS

REVISION	DESCRIPTION
2.0	ADDED NEW USOC RATE ELEMENT DESCRIPTIONS, FID DETAILS, CABS BILLING ORDER AND CORRECTED EXHIBIT 1
4.0	CORRECTED SA OF CABS ORDERS TO "F", CORRECTED EX 1 TO INCLUDE NEW PROVISIONING FORMAT, ADDED NEW USOCS.
5.0	CORRECTED END USER EXHIBIT TO ADD NEW USOC ULSDE
6.0	CORRECTED END USER EXHIBIT TO REFLECT NEW GF FORMAT.
7.0	CORRECTED END USER EXHIBIT TO REFLECT UPDATED CHANGES. ADDED NEW EXHIBITS FOR SUBSEQUENT ORDER ACTIVITY
8.0	ADDED EXHIBITS AND CORRECTED EXISTING EXHIBITS.
8.1	CORRECTED GF FID FROM PERIODS TO DASH AS A DELIMITER
9.0	CORRECTED SUBSEQUENT CABS ORDERS FROM C TO R ORDERS. ADDED NEW FID REQUIREMENTS FOR BILLING ORDER.
9.1	CORRECTED FID DESCRIPTIONS
10	ADDED FID REQUIREMENTS FOR BILLING ORDER, ADDED SOMAN/SOMEK REQUIREMENTS AND QUESTIONS. CORRECTED HEADINGS ON CABS ORDERS TO INDICATE R ORDER.
11	CORRECTED CABS ORDERS TO REFLECT RMKR INFO CONTAINING SPLITTER INFORMATION FOLLOWING ULSDA/ULSDB USOCS. ADDED A NUMBER OF QUESTIONS. DOCUMENTED APPLICATION OF SOMAN/SOMEK.
12.0	CORRECTED FID REQUIREMENTS ON CABS ORDERS, REMOVED PRE-TELCORDIA REQUIREMENTS FROM ORDERS, DOCUMENTED NEW PENDING ISSUE WITH LOOP MODIFICATION, NEW EXHIBIT FOR ADDING SPLITTER ON R ORDER (1B).
13.0	CHANGED SOME RO INFORMATION FROM C TO R ORDERS. CHANGED WORD CLEC TO DLEC AS NEEDED. CHANGE ALL COO TN'S ON CABS ACCOUNTS TO C07 NUMBERS. REMOVE NRA NEG FROM DISCONNECT ORDERS. ADD EXHIBIT FOR DLEC TO CHANGE CABS TN TO MATCH WORK ALREADY COMPLETED ON BELL SOUTH CRIS ACCOUNT.
14.0	CHANGED DESCRIPTION OF DATA FOLLOWING GF FID TO SAY 3 ALPHA CODE INSTEAD OF ACNA.
15.0	CHANGE 3 ALPHA BACK TO ACNA
16.0	ADD EXHIBIT FOR LS WHEN EXISTING CUSTOMER HAS ADSL. INDICATE IPON AND MAN REQUIRED ON ALL LS ORDERS. ADD



	EXHIBIT TO CHANGE CRIS TN INFO ON CABS RECORD
17	CHANGE ACTION CODES TO O and I on EXHIBITS for CABS ORDERS. ADD EXHIBITS FOR DLEC OWNED SPLITTER
18	CHANGE EXHIBITS 1A, 3A, 4A, 5A, 6A AND 8A. REMOVE PIU FID. CHANGE ACTION CODE ON SOMAN/SOMEC TO O ON DISCONNECTS. AND REMOVE ULSDS USOC IF LSR RECEIVED AT BELLSOUTH'S REQUESTS.

## SERVICE ORDER NOTES

### LINE SHARE SERVICE-ENDUSER'S ACCOUNT (BASIC RES AND BUS)

NOTE	INFORMATION
1	WE WILL USE SSM PER RICH GOODMAN (TELCORDIA INDICATED 4/19 JANICE HOUSTON INDICATED A POSSIBLE PROBLEM USING SSM. SENT NETTIE WALKER AN EMAIL. 5/3 NETTIE RESPONDED THAT SSM DID NOT CAUSE ANY PROBLEMS.
2	WILL INDICATE THE CA/PR ASSIGNMENT PROVIDED BY THE CLEC AS WELL AS THE SPLITTER ASSIGNMENT (SHOWN AS A GF FID).
3	<p>SEPARATE ORDERS WILL BE ISSUED TO DISCONNECT AN EXISTING CUSTOMER FROM ADSL SERVICE AND CONNECT LINE SHARE SERVICE. THE NSP WILL SUBMIT A REQUEST TO THE DCSC TO DISCONNECT THE ADSL SERVICE—BUSINESS AS USUAL. THE LCSC WILL RECEIVE A LSR (LS NC CODE) TO ADD LINE SHARE SERVICE.</p> <p><b>5/23 NOT CLEAR ON THIS PROCESS. DISCUSSION INDICATED THAT CLEC CAN ISSUE LSR TO DISCONNECT ADSL SERVICE AND THEN ANOTHER LSR TO ADD LINE SHARE?? NOT CLEAR IF POSSIBLE???</b></p> <p><b>6/20 TEAM CLARIFIED CURRENT PLANS INDICATE THE LSR WILL BE RETURNED TO THE CLEC AND ADVISE CLEC TO DISCONNECT ADSL SERVICE (THROUGH NORMAL PROCEDURES) AND THEN RESUBMIT THE LSR TO ADD LINE SHARE. THE LSR WILL NOT REMOVE ADSL SERVICE.</b></p>
4.	<p><b>5/3 CLARIFICATION NOT RECEIVED FROM LEGAL ON HOW TO HANDLE REQUESTS TO CHANGE FROM ONE LINE SHARE CLEC TO ANOTHER. ISSUED EXHIBITS AS ONE REQUEST. ONE PROVISIONING ORDER ISSUED AND TWO BILLING ORDERS???</b></p> <p><b>5/23 LEGAL INDICATED THAT CLEC "B" CAN SUBMIT LSR AND HAVE LINE SHARE SERVICE CHANGED TO CLEC "B" SERVICE. EXHIBITS ARE CORRECT</b></p>
5.	<p>5/1 PER RITA RO WILL BE INDICATED ON THE PROVISIONING ORDER BUT WILL NOT BE SUPPORTED WITH EDITS TELCORDIA SOLUTION WILL NOT INCLUDE RO SINCE BILLING ORDER WILL NOT BE ISSUED UNTIL PROVISIONING ORDER IS COMPLETED.</p> <p>6/20 TELCORDIA WILL BE ISSUING CABS ORDER IN HC STATUS WITH SAME DUE DATE AS PROVISIONING ORDER</p>
6	MAN FID WILL NOT BE SHOWN ON THE PROVISIONING (RETAIL)

ACCOUNTS.

5/3 A SERVICE ORDER INQUIRY SENT ON 5/3 TO INVESTIGATE HAVING 2 MAN FIDS ON ACCOUNT? ALSO INVESTIGATE IMPACT OF MAN ON CONSUMER AND CREATING NEW LETTER OF L AS FIRST CHARACTER.

**5/23 NEW FID MAY BE INDICATED ON PROVISIONING ORDER TO ASSIST IN TRACKING PROVISIONING LINE SHARE INFORMATION. TO BE DETERMINED AT NEXT LINE SHARE MEETING ON 6/5.**

## SERVICE ORDER NOTES

### DLEC MISCELLANEOUS ACCOUNT

NOTE	INFORMATION
1	ASSUME USOCs FOR SPLITTERS (96 AND 24) WILL ONLY SHOW A QUANTITY OF 1.
2	ORDER FOR SPLITTER WILL BE ESTABLISHED ON NEW BAN WITH THE NEW BASIC CLASS OF SERVICE OF ULS (UNBUNDLED LINE SHARE)
3	<p>PER MEMO FROM TOMMY WILLIAMS ON 6-2</p> <p>SOMAN APPLY PER LSR IN FL AND KY SOMEc APPLY PER LSR IN FL AND KY</p> <p>ALL OTHER STATES INCLUDE ORDERING CHARGES IN THE NON-RECURRING CHARGE. WILL DO COST STUDY BY END OF YEAR TO SEPARATE ORDERING CHARGES FROM NRC AND ALLOW TO BILL USING SOMAN, SOMEc.</p> <p>SOMAN/SOMEc WILL NOT APPLY TO SPLITTER USOCs</p> <p><b>6/7 SEE SEPARATE ISSUES LIST FOR QUESTIONS APPLYING SOMAN/SOMEc</b></p>

## SERVICE ORDER ISSUES

### CABS BILLING ORDER ISSUES

<b>N O</b>	<b>ISSUES</b>	<b>RESOLUTION</b>	<b>FU/COMP</b>
<b>1</b>	<b>WILL SOMAN/SOMECH BE APPLICABLE FOR SPLITTERS?</b>	<b>6/08 DETERMINED THAT SOMAN/SOMECH IS NOT APPLICABLE ON SPLITTER USOCs.</b>	<b>6/8</b>
<b>2</b>	<b>WILL SOMAN/SOMECH APPLY WHEN LINESHARE IS DISCONNECTED</b>	<b>6/08 YES, SOMAN/SOMECH IS APPLICABLE WHEN LINE SHARE IS DISCONNECTED.</b>	<b>6/8</b>
<b>3</b>	<b>WHEN RECEIVE LSR TO CHANGE CLEC, WHAT SOMAN/SOMECH CHARGES APPLY? ONLY ON CLEC B'S ORDER??</b>	<b>6/8 SOMAN/SOMECH IS ONLY APPLICABLE TO CLEC B SINCE THEY ARE THE ONE'S SUBMITTING THE LSR</b>	<b>6/8</b>
<b>4</b>	<b>PRIOR TO TELCORDIA SOLUTION WILL TWO SOMAN/SOMECH CHARGES APPLY WHEN INCLUDE LOOP MODIFICATION CHARGES ON THE SAME BILLING ORDER AS LINE SHARE?</b>	<b>6/8 ONLY ONE SOMAN/SOMECH CHARGE WILL BE APPLIED WHEN LOOP MOD IS BILLED AT THE SAME TIME. SOMAN/SOMECH DOES NOT APPLY TO LOOP MOD</b>	<b>6/8</b>

**EXHIBIT 1 - C ORDER CHANGE FROM EXISTING 1FR (RESIDENTIAL  
FLAT RATE LINE) TO 1FR WITH LINE SHARING**

SR AO VN 000 SI NPA NXX RC AM PD - - AC Y TI SOI BF RG N  
TN NPA NXX-1111 SA CC 000 CD - - EX XXXX AD 00-00-00 HU 0000 ID 00-  
00

**ORD** CO054XXX **CS** 1FR **SLS** XXXXXXXX **DD** 00-00-00 **AC** AP MA

ZRTI R.R.NPA NXX-XXXX, XXX.  
NPANXX

CENT ROO

**RO** **RXXXXXXX (DD 00-00-00)**

**CLEC R ACCOUNT ORDER  
NUMBER TO ADD BILLING  
USOCS**

**---LIST**

LN CUSTOMER. NAME  
LA 123 MAIN ST, ANYTWN  
SA 123 MAIN ST, ANYTWN, GA  
DZIP 12345

**---BILL**

PO ANYTWN, GA 12345  
TAR 000.702

**---S&E**

C1 1FR

**RESIDENTIAL FLAT RATE  
SERVICE**

/TN NPA NXX-1111/PIC 0000  
/PCA BO, 00-00-00  
/LPIC 0000/LPCA DF, 00-00-00  
/SED 00-00-00

T1 1FR

**RESIDENTIAL FLAT RATE  
SERVICE**

/TN NPA NXX-1111/PIC 0000  
/PCA BO, 00-00-00  
/LPIC 0000/LPCA DF, 00-00-00  
/SED 00-00-00

**/UCP1 TYP.DA, LOC.CO, MTPT  
CA.VXXX1, PR.1234**

**UNBUNDLED CONNECTION  
POINT  
CA - XXX ACNA CODE  
GENERAL FACILITIES  
ASSIGNMENT, SPL FOLLOWED  
BY THREE CHARACTER ACNA  
CODE AND SPLITTER  
ASSIGNMENT**

**/GF SPLXXX12345678-12-12-1**

**UNBUNDLED NETWORK  
ELEMENT CIRCUIT  
IDENTIFICATION**

**/UNE1 00.SWXX.000000..SB**

**/UNN1 SPC. 7177, HOUSTEN TEL**

**AECN OR OCN CODE, DLEC**

	<b>CO</b>	<b>COMPANY NAME</b>
	<b>/UCN1 JOE CUSTOMER, NPA NXX-1234, PAGER NPA NXX- 5555 /SSM</b>	<b>DLEC CONTACT INFORMATION</b>
	<b>/WW NPA CXX-LINE</b>	<b>SPECIAL SAFEGUARDING MEASURES</b>
		<b>DLEC CABS C ACCOUNT NUMBER</b>
<b>11</b>	<b>ULSDE/TN NPA NXX-1111</b>	<b>LINE SHARE IDENTIFYING USOC</b>

**EXHIBIT 1A –N ORDER TO ESTABLISH C ACCOUNT AND BILL SPLITTER  
SYSTEM CHARGE**

**SR CP VN 000 SI NPA NXX RC PP PD - - AC TI SOI BF RG N**  
**TN NPA C07-0000 SA F CC 000 CD - - EX XXXX AD 00-00-00 HU 0000 ID 00-**  
**00**

**ORD NO054XXX CS ULS SLS XXXXXXXX DD 00-00-00 AC AP MA**

**ILAT**

**IAECN**

**IACNA**

**ZRTI R,R,NPA NXX-XXXX, XXX,**  
**NPANXX**

**ICCNA**

**---LIST**

**IACN DLEC; TELEPHONE COMPANY**

**IACA 1-1234 MAIN ST, ANYTWN, GA**

**IAC TL1 COLLCLICD**

**---BILL**

**IBN1 DLEC TELPHONE COMPANY**

**IBA2 1234 MAIN ST**

**IPO ANYTOWN, GA 00000**

**ICC**

**TAR 000,702**

**ICI CREDIT INFORMATION**

**IMAN**

**IPON**

**IZIV**

**---S&E**

**I4 ULSDB**  
**/POI COLLCLIC**

**4 24 SPLITTER SYSTEM**  
**(8 CODE CLI CODE FROM**  
**SPLITTER ORDER FORM)**

**/PLU 100**  
**/TAR 000,000**

**TAR CODE OF CENTRAL**  
**OFFICE ADDRESS**

**/RMKR (A) SPLXXX12345678-01-**  
**01**

**6/8 TEAM DETERMINED SOMAN/SOMEK NOT APPLICABLE FOR SPLITTER  
ORDERS.**



WHAT ACTL WILL BE SHOWN? WILL WE HAVE NEW ACTLS FOR EACH OF THE CENTRAL OFFICE SPLITTERS? HOW WILL WE SHOW THE SPLITTER USOCs?